Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
	10	("6389428" or "6141657" or "5978815" or "5566331" or "5416848").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	-2005/03/04 09:08
L2	5	1 and (storage or disk or tape or optical or CD\$1 or RAM or DRAM or floppy) and format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:1,8
<b>L3</b>	0	1 and (smartchip or (smart adj	US-PGPUB;	OR	ON	2005/03/04 08:13
		chip))	USPAT; EPO; JPO;			
			DERWENT; IBM_TDB			
<b>L4</b>	6	1 and ((software adj program) or program or (software adj (operation or routine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:14
<b>L</b> 5	2	1 and ((software adj program) or	US-PGPUB;	OR	ON	2005/03/04 08:33
		program or (software adj (operation or routine))) with	USPAT; EPO; JPO;			
		(storage or disk or tape or optical or CD\$1 or RAM or DRAM or floppy)	DERWENT; IBM_TDB			
L6	, <b>3</b>	resonstruct\$6 near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:18
<b>L7</b>	1	reonstruct\$6 near5 data	US-PGPUB; USPAT;	OR	ON	2005/03/04 08:18
			EPO; JPO;			
			DERWENT; IBM_TDB			
L8	23002	reconstruct\$6 near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:22
L9	4537	8 and ((software adj program) or program or (software adj	US-PGPUB; USPAT;	OR	ON	2005/03/04 08:20
		(operation or routine))) with (storage or disk or tape or optical or CD\$1 or RAM or DRAM or floppy)	EPO; JPO; DERWENT; IBM_TDB			
L10	357	9 and access\$6 same respond\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:20

<del></del>	<u> </u>					
L11	. 898	( ((software adj program) or program or (software adj (operation or routine))) with (storage or disk or tape or optical or CD\$1 or RAM or DRAM or floppy)) same access\$6 same respond\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:21
L12	238	( ((software adj program) or program or (software adj (operation or routine))) with (storage or disk or tape or optical or CD\$1 or RAM or DRAM or floppy)) with access\$6 with respond\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:21
L13	235	( ((software adj program) or program or (software adj (operations! or routines!))) with (storage or disk or tape or optical or CD\$1 or RAM or DRAM or floppy)) with access\$6 with respond\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:09
<b>114</b>	3	13 and reconstruct\$6 near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:22
L15	308	((software adj program) or program or (software adj (operations! or routines!))) with data with access\$6 with respond\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:53
<b>L16</b>	98	15 and ((software adj program) or program or (software adj (operation or routine))) with stored with (storage or disk or tape or optical or CD\$1 or RAM or DRAM or floppy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:48
L17	. 36	16 and (filesystem or (file adj system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:01
L18	1	17 and different adj data adj formats!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:55
L19	2	17 and (APIs! or (application adj program adj interfaces!))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:47

L20	2	16 and (APIs! or (application adj program adj interfaces!))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON -	2005/03/04 09:07
L21	<b>1</b>	15 and program with ((software adj programs!) or (APIs! or (application adj program adj interfaces!)) or (software adj (operation or routine))) with stored with (storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:50
		or disk or tape or optical or CD\$1 or RAM or DRAM or floppy)				
L22	34	15 and program with ((software adj programs!) or (APIs! or (application adj program adj interfaces!)) or (software adj (operation or routine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:52
L23	25440	program with ((software adj programs!) or APIs! or (application adj program adj interfaces!) or (software adj (operations! or routines!)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:53
L24	84322	(program or (software adj programs!) or APIs! or (application adj program adj interfaces!) or (software adj (operations! or routines!))) with stored with (storage or disk or tape or optical or CD\$1 or RAM or DRAM or floppy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:56
<b>L25</b>	4700	23 and 24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:54
L26	656	25 and (filesystem or (file adj system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:55
L27	15	26 and different adj data adj formats!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:55
L28	822	(program with ((software adj programs!) or APIs! or (application adj program adj interfaces!) or (software adj (operations! or routines!))) with stored with (storage or disk or tape or optical or CD\$1 or RAM or DRAM or floppy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:12

·	1			<u>. — — — — — — — — — — — — — — — — — — —</u>	· · · · · · · · · · · · · · · · · · ·	
L29	822	24 and 28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:57
L30	61	(program adj9 ((software adj programs!) or APIs! or (application adj program adj interfaces!) or (software adj (operations! or routines!))) with stored with	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:58
		(storage or disk or tape or optical or CD\$1 or RAM or DRAM or floppy))				
L31		program adj9 (((software adj programs!) or APIs! or (application adj program adj interfaces!) or (software adj (operations! or routines!))) with stored with (storage or disk or tape or optical or CD\$1 or RAM or DRAM or floppy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:00
<b>L32</b>	34	24 and 31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:58
L33	39	16 and (filesystem or (file adj system) or (file adj directory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:20
<b>L34</b>	6	("6816891" or "5978815" or "5566331").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:08
L35	0	34 and stored and program and respond\$3 and request43 and access\$3 and data and processor and (storage or disk or tape or optical or CD\$1 or RAM or DRAM or floppy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:11
L36	2	34 and stored and program and respond\$3 and request\$3 and access\$3 and data and processor and (storage or disk or tape or optical or CD\$1 or RAM or DRAM or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:11
	A STATE OF THE STA	floppy)				

	<u> </u>					
L37	0	34 and (program with ((software adj programs!) or APIs! or (application adj program adj interfaces!) or (software adj (operations! or routines!))) with stored with (storage or disk or tape or optical or CD\$1 or RAM or DRAM or floppy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:13
L38	1	34 and (program or (software adj programs!) or APIs! or (application adj program adj interfaces!) or (software adj (operations! or routines!))) with stored with	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:18
		(storage or disk or tape or optical or CD\$1 or RAM or DRAM or floppy)				
L39	1	34 and computer adj program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:15
L40	1.	39 and respond\$3 and access\$3	US-PGPUB;	OR	ON	2005/03/04 09:14
		and request\$3	USPAT; EPO; JPO;			
			DERWENT; IBM_TDB			
L41	3	34 and program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:16
L42	2	34 and program same stored	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:16
L43	3	34 and (routine or operation or program or application or module) same stored	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:17
<b>L44</b>	3	34 and (routine or operation or program or application or module) with stored	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/03/04 09:17
			IBM_TDB			
L45	84322	(program or (software adj programs!) or APIs! or (application adj program adj interfaces!) or (software adj (operations! or routines!))) with stored with (storage or disk or tape or optical or CD\$1 or RAM or DRAM or floppy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:19

L46	· 5106	45 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:19
L47	223	46 and data adj formats!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:25
L48	6	47 and (filesystem or (file adj system) or (file adj directory)) and reconstruct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:25
L49	3	48 and respond\$3 and access\$3 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:23
L50	<b>O</b>	48 and (respond\$3 and access\$3) near9 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:23
<b>L51</b>	14	47 and (respond\$3 and access\$3) near9 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:25
L52	1369	45 and (respond\$3 and access\$3) near6 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:28
L53	68	52 and (filesystem or (file adj system) or (file adj directory)) and reconstruct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	- 2005/03/04 09:27
L54	18	53 and data adj formats!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:27
<b>L55</b>	34	52 and archiv\$3 and reconstruct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:27

L56	3	55 and data adj formats!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:27
L57	34	55 and (respond\$3 and access\$3) near6 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 09:28